


QC2101130607A2

QC2101130607A2

Jiangsu QiChen Testing Co.,Ltd.



15



99



04 302 402 502



215000

0512-67428823

service@qichenjc.com



| WQC2106YP0201 ~0203 | # | μg/L | ND | ND | ND | — |
|------------------------|---|------|-------|-------|------|-----|
| | | mg/L | 0.021 | 0.021 | ND | — |
| | | mg/L | ND | ND | ND | — |
| | | mg/L | 1.44 | 1.25 | 1.36 | — |
| | | mg/L | 41 | 43 | 42 | 400 |
| | | mg/L | 15.0 | 13.5 | 12.6 | 70 |
| | | mg/L | 0.32 | 0.32 | 0.26 | 8 |



1

| | | | |
|---|-----------------|--|--------|
| | | | mg/L |
| # | HJ 639-2012 | | 0.0006 |
| | / | | |
| | 4- | | |
| | HJ 503-2009 | | 0.01 |
| | GB/T 16489-1996 | | 0.005 |
| | HJ 637-2018 | | 0.06 |
| | GB/T 11901-1989 | | 5 |
| | HJ 636-2012 | | 0.05 |
| | GB/T 11893-1989 | | 0.01 |

2

| | | |
|--|------------|-----------------------|
| | | |
| | ME104E /02 | QC-JC-023.2 |
| | DHG-9140A | QC-JC-043.3 |
| | OIL 460 | QC-JC-014 |
| | TU-1900 | QC-JC-012.1,012.2,012 |
